

INDEX

-A-

- AARQ-apdu, 215, 218, 220
- A-ASSOCIATE, 215-16, 218-21
- Abort services
 - presentation layer and, 219, 248, 254
 - session layer and, 276
- Abstract syntax notation one (ASN.1)
 - application entity titles and, 86
 - background of, 68-69
 - compilers, 75-76, 247
 - data types and tags, 69-72
 - directory entries, 125
 - modules, 72-73
 - ports, 130-32
 - refinement macros, 133
 - ROSE macros, 238-41
 - transfer syntax/basic encoding rules, 67-68, 73-75
- Accredited Standards Committees (ASCs), 16, 17
- ACSE. *See* Association-control service element
- Activity management, 262
 - functional units, 266-70
- Addresses
 - IP, 398-403
 - in message-handling system, 155-58
 - network layer, 398-410
 - OSI, 403-10
 - role of, 88
- Addressing, transport, 300-301
- Address mask, 428
- Address-resolution protocol (ARP), 429-30
- Administration management domain (ADMD), 155
- Administrative Directory Management Domain, 129
- Administrative domain, 421
- Advanced Research Projects Agency (ARPA), 6, 33, 363
- Alberi, J. L., 233
- Allomorphy, 192
- American National Standards Institute (ANSI), 14, 16, 565
 - NSAP address structure, 407-9
 - registration authority and, 90-91
- Announcement, 424-25
- A-P-ABORT, 215, 221-22
- Applicability statements, 25
- Application-context name, 218
- Application entity (AE) titles
 - See also* Distributed application services
 - identification of, 217-18
 - innovation identifiers, 217-18
 - OSI, 85-86, 102, 103-5, 215-16
 - TCP/IP, 102-3, 105
- Application gateways, 512-15
- Application process (AP), 102
 - identification of, 217-18
 - qualifier, 217
 - title, 217

Applications (layer)
See also Distributed application services
 OSI, 11
 TCP/IP, 11

Application service elements (ASEs), 103
 association-control service element,
 213, 214-23
 reliable transfer service element, 213, 223-32
 remote operations service element,
 214, 232-44

Application service objects (ASOs), 285

Archie, 108, 142

Architecture
 defining, 34-35
 layers, 37-45
 OSI Directory, 123-24
 OSI naming, 84-85
 Reference Model, 35, 36-37
 TCP/IP, 33-34, 35, 88
 wars, 37

Area address, 434

A-RELEASE, 215, 219, 221

ARGO, 293-94, 296-97

ARPANET, 6, 24, 115, 423

ASCII, 63

Association-control service element (ACSE)
 modes, 222-23
 role of, 213, 214-15
 service and protocol, 215-22

Association Française du Normalisation
 (AFNOR), 14

Asynchronous communication, 297, 298-99

Asynchronous operations, ROSE and, 234-35

Asynchronous transfer mode (ATM), 467, 494-97
 adaptation layers, 496-97
 cell structure, 496
 synchronous transfer mode and, 494-95

Atomicity, 244

Attributes, 125-26

Attribute value assertion (AVA), 126, 200

A-U-ABORT, 215, 219, 221

Authentication services, 134-35

Authority and format identifier (AFI), 404-7

-B-

Banyan Vines, 507

Basic encoding rules (BER), 68
 ASN.1, 73-75

*Basic Reference Model of Open Systems
 Interconnection*, 33

Bellman-Ford algorithm, 434, 448

Berkeley Interactive Name Demon (BIND), 116

Berners-Lee, Tim, 143

Blocking, 61, 291

Bolt Beranek and Newman, 117

Border gateway protocol (BGP), 424, 463, 464

Brandwein, R., 482

British Standards Institute (BSI), 14, 94

Broadband, use of the term, 11n.6

Broadband integrated services digital networks
 (BISDN), 468

Burroughs, 433, 434
 network architecture (BNA), 364

-C-

Cailliau, Robert, 143

Cain, E., 34

Call request, 366

Call user data, 366

Capability data transfer, 270

Capability functional units, 266

CCITT. *See* International Telegraph and
 Telephone Consultative Committee

Cerf, V., 34

Chaining, 132

Chapin, Lyman, 52, 383

Checkpointing, 223, 270 *See also* Synchronization

Clark, D. D., 389

Clients, 118, 119-21

CMIP. *See* Common management information
 protocol

CMIS. *See* Common management information
 service

Cohen, D., 34, 383

Coltun, R., 446

Comer, Douglas E., 3, 44, 430

ComitÇ Consultatif International
 TÇIÇgraphique et TÇIÇphonique. *See*
 International Telegraph and Telephone
 Consultative Committee

Commitment, concurrency, and recovery, 244

Committee draft (CD), 17

Common application service elements (CASE), 244

Common management information protocol
 (CMIP)
 description of, 178, 189-211

- how to manage, 195-98
 - management information model and GDMO, 191-95
 - profiles, 204-5
 - protocol suite and, 198-99
 - remote operations and, 199-202
 - Common management information protocol over TCP/IP (CMOT), 205
 - Common management information service (CMIS)
 - how to manage, 195-98
 - services of, 196
 - Community string, 188
 - Concatenation, 61, 279, 291, 334
 - Concrete syntax, 66, 67
 - Conditional packages, 193-94
 - Configuration timer (CT), 425-26
 - Conformance testing, 21
 - Connection-establishment facilities, 248, 251-58
 - Connection-establishment timers, 348
 - Connectionless network protocol (CLNP), 367-68
 - compared with IP, 380, 383-96
 - connections versus, 369-72
 - Connectionless network service (CLNS), 379-83
 - Connectionless transport service (CLTS), 358-59
 - Connection-oriented network service, 372-79
 - Connection-oriented transport service (COTS)
 - OSI, 290-91
 - TCP/IP, 291-92
 - Connection release/refusal
 - OSI, 354-56
 - TCP/IP, 356-57
 - Connections
 - and connectionless models of communication, 51-54
 - datagrams versus, 371
 - transport layer (OSI), 311-19
 - transport layer (TCP/IP), 320-24
 - versus connectionless, 369-72
 - Connection-termination facilities, 248
 - Containment, 193
 - tree, 200
 - Context-management facilities, 248
 - Context set
 - definition, 247-48
 - negotiation, 254, 257
 - Control messages, 393
 - Corporation for National Research Initiatives, 117
 - Corporation for Open Systems (COS), 21
 - Cox, T., 482
 - Crocker, Stephen, 6
- D-**
- Dahl, J., 482
 - DARPA (Defense Advanced Research Projects Agency), 21, 24, 33, 306
 - Data-description language, 68
 - Datagrams, 52, 53, 358-59, 371
 - in OSI, 379, 381
 - in TCP/IP, 381-83
 - Data-link layer, 43
 - asynchronous transfer mode (ATM), 467, 494-97
 - distributed queue dual bus (DQDB), 468, 477-82
 - European Telecommunications Standards Institute (ETSI)-MAN, 486-87
 - fiber distributed data interface (FDDI), 468, 474-77
 - frame-relay technology, 488-93
 - metropolitan area networks, 467, 473-500
 - multiaccess channel standards, 468-69, 471-72
 - point-to-point connection standards, 468, 469-70
 - role of, 467
 - switched multimegabit data service (SMDS), 482-86
 - synchronous optical network (SONET), 482, 497-500
 - taxonomy of standards, 468-69
 - very high bandwidth needed, 500
 - Dataphony, use of term, 4n.1
 - Data representation, 65-68
 - Data retransmission timer, 348-49
 - Data types, ASN.1, 69-72
 - Day, J., 284
 - DEC (Digital Equipment Corp.), 433, 434
 - Defense Communications Agency (DCA), 96
 - Defense Information Systems Agency (DISA), 96
 - Defined-context set (DCS), 248
 - Definite form, 74
 - Delegated authority, 116
 - Demultiplexing, 61

- Deutsches Institut für Normung (DIN), 14
 - Dialogue
 - control, 248, 262
 - unit, 270
 - Diffie, W., 135
 - Digital network architecture (DNA), 363-64
 - Dijkstra's shortest-path-first (SPF) algorithm, 431, 434
 - Directories
 - Archie, 108, 142
 - domain name system, 115-21, 145
 - FINGER, 108, 140-41
 - networked information retrieval, 141-42
 - OSI, 115, 122-48
 - principles, 113-14
 - role of, 111-12
 - telephone model, 112-13
 - types of open system, 115
 - WHOIS, 108, 140
 - Wide Area Information Service, 108, 142-43
 - WorldWideWeb, 108, 143-44
 - Directory access protocol (DAP), 134, 135
 - Directory information base (DIB), 124-31
 - Directory information tree (DIT), 124
 - Directory management domain (DMD), 129
 - Directory Service and Common Management Information Service, 104
 - Directory services, 107
 - Directory system agents (DSAs), 129, 132-34
 - Directory system protocol (DSP), 134, 135
 - Directory user agents (DUAs), 128
 - Discard-reporting function, 389-90
 - Distance-vector routing, 431, 432, 448
 - Distinguished name (DN), 127-28, 200
 - Distributed application services
 - characteristics shared by OSI and TCP/IP, 101
 - communications component, 102
 - comparison of OSI and TCP/IP, 105
 - directory services, 107
 - distributed file systems, 107
 - electronic data interchange, 107
 - electronic mail, 106
 - local component, 101-2
 - message-handling system, 106-7
 - network management, 107-8
 - office document architecture interchange, 107
 - OSI construction of application entities, 103-5
 - remote database access, 108-9
 - TCP/IP construction of application entities, 102-3
 - Distributed file systems, 107
 - Distributed queue dual bus (DQDB), 468, 477-82
 - Distributed transaction processing, 244
 - Document transfer, access, and manipulation (DTAM), 107
 - Domain name system (DNS), 108, 145
 - background of, 115-16
 - how it works, 118-21
 - mail exchanger, 121
 - names, 116-18
 - resolvers/clients, 118, 119-21
 - reverse lookups, 121
 - servers/name servers, 118-19
 - Downgrading, 163
 - Draft international standard (DIS), 17
 - Dual stack approach, 510-12
 - DUNE, 233
- E-
- Edmond, Winston, 370-71
 - Electronic data interchange (EDI), 107
 - Electronic Industries Association (EIA), 16-17
 - Electronic mail (E-mail), 106, 147-48
 - Encapsulation, 279-80, 519-20
 - End-of-contents field, 75
 - End system hello message (ESH), 424
 - End systems (ESs), 417, 418-19, 420-21
 - reachability and discovery in OSI-ES-IS protocol, 424-29
 - End-to-end functions
 - COTS, 291
 - TCP/IP, 291-92
 - End user, 148
 - Entities, 46-47
 - naming, 84-85
 - Entities, application
 - OSI, 85-86, 102, 103-5
 - TCP/IP, 102-3
 - Error detection and recovery, 291, 303, 305-7
 - Error-reporting function, 389-90

- ESPRIT, 139
European Committee for Standardization/
European Committee for Electrotechnical
Standardization (CEN/CENELEC), 19
European Telecommunications Standards
Institute (ETSI), 486-87
Event-report, 203-4
Exceptions functional unit, 273-75
Expedited data transfer, 291, 340-41
Expedited functional units, 266
Extended application-layer structure (XALS), 285
Exterior gateway protocol (EGP), 424, 462-63
- F-**
- Fault-tolerance broadcast mechanism, 431-32
Fiber distributed data interface (FDDI),
468, 474-77
File transfer, access, and management (FTAM), 101,
103-4
File-transfer application, 101
File-transfer protocol (FTP), 101, 102
Filtering, 201, 202
FINGER, 108, 140-41
Fletcher, J., 307, 386
Flow control, 291, 326-28
Flows, 371
Flush old configuration, 426
Forwarding, use of term, 413, 414
Forwarding information base, 417-18
Forward PDU function, 386
FOX project, 140
Fragmentation function, 387-89
Frame-relay technology, 488-93
Frozen references, 320, 324
Full-duplex functional units, 264
Functional standards, 19
Functional units, 252
 activity-management, 266-70
 exceptions, 273-75
 full-duplex, half-duplex, expedited,
 and capability, 264, 266
 kernel, 262-64
 major and minor synchronization, 270-71
 negotiated release, 279-80
 resynchronize, 272-73
 symmetric synchronization, 271-72
- G-**
- Gateway-to-gateway protocol (GGP), 424
GDMO ("Guidelines for the Definition of
Managed Objects"), 194-95
Genebits, 533-36
Give-up timer, 351
Government OSI profiles (GOSIPs), 19
 registration authority, 94-95
Government Systems, Inc. (GSI), 96
Groff, Jean-François, 143
Gruchevsky, S., 434
Gurzick, John, 52
- H-**
- Half-duplex functional units, 264, 266
Hardcastle-Kille, Steve, 139, 172, 283
Hardware address, 429
Header composition function, 383
Header decomposition function, 383-84
Header error-detection function, 386
Header information, 57
Hellman, M., 135
HELLO, 424, 444
Hemrick, C., 364, 403-4
High-level data-link control (HDLC), 467
 point-to-point connection standards,
 468, 469-70
High-level entity-management system
(HEMS), 178
Hop-by-hop harmonization, 365-66
Hop-by-hop/node routing, 414-15, 465
Host centrics, 364, 366-67
- I-**
- Implementers' agreements, 20-21
Implementers' Workshops, 8, 20
Implicit flow control, 327
Inactivity timer, 352
Indefinite form, 75
Inheritance, 192
Initial domain identifier (IDI), 404-7
Institute of Electrical and Electronics Engineers
(IEEE), 17
Institut National de la Recherche en Informatique
et Automatique (INRIA), 139
Integrated Network Communication Architecture
(INCA), 139
Integrated services digital network (ISDN),
 broadband, 494-97
Interdomain intermediate system, 418-19, 421-23

- in OSI, 446-62
 - in TCP/IP, 462-63
 - unified, 464-65
 - Interdomain policy routing (IDPR), 464
 - Interdomain routing protocol (IDRP)(OSI)
 - example, 446-48
 - loop-free routing in, 449-51
 - network-layer reachability information, 457-58
 - path segments, 446
 - in public versus private data networks, 460-62
 - real versus virtual links, 446-447
 - restricting transit traffic, 452
 - routing algorithm, 448-49
 - routing domain confederations, 454-55
 - routing information exchange, 459-60
 - selecting an optimal route, 451
 - selective advertisement of routing information, 452-53
 - supporting multiple routes to a destination, 458-59
 - transit policies supported by, 452, 455-57
 - Intermediate systems (ISs), 417, 418-19, 420-21
 - hello message (ISH), 426-27
 - Intermediate systems intradomain in OSI (IS-IS)
 - area partitions, 439-41
 - areas, 431
 - fault-tolerance broadcast mechanism, 431-32
 - generic description of, 434-37
 - hierarchy levels of, 431, 435-37, 438-39
 - integrated, 443-44
 - link-state packet, 434
 - link-state routing algorithm, 431, 432, 437-38
 - metrics, 441-42
 - operation over X.25 subnetworks, 443
 - partial routing updates, 442
 - pseudonodes, 443
 - shortest-path-first algorithm, 431, 434
 - International Electrotechnical Commission (IEC), 16
 - International Organization for Standardization (ISO), Technical Committee 97 (TC 97), 13-14, 16
 - International standardized profiles (ISPs), 19, 204-5
 - International Telecommunications Union (ITU), 16
 - International Telegraph and Telephone Consultative Committee (CCITT)
 - Directory/X.500 standards, 122-23
 - Recommendation X.208, 68
 - standards process for, 17-19
 - standards with ISO, 14-16
 - Internet
 - See also* Transmission-control protocol/internet protocol
 - defining, 525-27
 - infrastructure of, 8, 22, 23
 - naming-based concept of connectivity, 527-31
 - use of the term, xiv.2
 - Internet Activities Board (IAB), 21
 - Internet Architecture Board (IAB), 21
 - Internet Assigned Numbers Authority (IANA), 25, 95-96
 - Internet Configuration Control Board (ICCB), 21
 - Internet-control message protocol (ICMP), 389-91, 393
 - Internet Engineering Steering Group (IESG), 22
 - Internet Engineering Task Force (IETF), 21-22, 24, 205
 - Internet Network Information Center, 96, 115-16, 140, 563
 - Internet protocol (IP)
 - addresses, 398-403
 - CLNP compared to, 380, 383-96
 - subnetting, 399-402
 - Internet Research Task Force (IRTF), 21
 - Internetworking with TCP/IP (Comer), 44
 - Interop, Inc., 8
 - Interoperability Conferences and Exhibitions, 8
 - Interpersonal messaging (IPM) protocol, 150-54
 - Intradomain intermediate system, 418-19, 421
 - in OSI, 431-44
 - in TCP/IP, 444-46
 - Inverse address resolution protocol (INARP), 491
 - Invoke ID, 235
 - ISODE, 283, 285
- J-
- Jacobson, V., 338
 - Jaffe, J., 434

-K-

Kahle, Brewster, 143
 Kamoun, F., 434
 Kent, C. A., 389
 Kernel functional units, 262-64
 Kille, Steve, 139, 172, 283
 Kleinrock, L., 434

-L-

Languages
 abstract syntax notation one, 68-79
 concrete syntax, 66, 67
 data representation, 65-68
 development of universal, 64-65
 importance of, 64-65
 TCP/IP community and, 76-78
 transfer syntax, 67-68, 73-75

Layers
 purpose of, 37-38
 TCP/IP, 38-39, 44-45

Layers, OSI, 38
 application, 41
 application-oriented, 40-41
 communications-oriented, 41
 connections among, 281-84
 data-link, 43, 467-501
 future of upper, 284-86
 lower, 41
 network, 42, 361-411
 physical, 43, 467-501
 presentation, 41-42, 247-61
 session, 42, 261-81
 transport, 42, 289-359
 upper, 40-41, 284-86

Lifetime-control function, 384-86

Link-state packet (LSP), 434

Link-state routing algorithm, 431, 432,
 437-38

Livermore Interactive Network
 Communication System (LINCS), 306

Local area networks (LANs), 363-64, 468

LOCUS, 233

Logical link control (LLC), 365, 471-72

Lynch, Dan, 8

-M-

McGill University, 142

McQuillan, J., 431

Mail exchanger (MX), 121

Managed
 entity, 179
 objects, 183-84, 191
 system, 192

Managed-object instance, 192, 193

Management. *See* Network management

Management domain (MD), 155

Management information base (MIB)
 OSI, 191
 TCP/IP, 179-80, 181-82
 use of the term, 194n.6

Management information model, 191-95

Managing entity, 179

MANs. *See* Metropolitan area networks

Martin, James, 3

Medin, M., 446

Medium access control (MAC) protocols, 365

Message-handling system (MHS), 104, 106-7

consumers and suppliers of, 158
 description of, 148-55
 expansion, 161
 extension fields, 159
 functional entities, 148
 interpersonal messaging, 150-54
 interworking between simple mail
 transfer protocol and, 172-74
 interworking between versions of
 X.400, 162-63
 names and addresses in, 155-58
 organization mapping-administration
 of, 155
 OSI Directory/X.500 and, 135-37, 161-62
 refinements to-X.400 (1988), 158-61
 remote operations and reliable transfer
 facilities, 162

Message-handling system management domain
 (MHSMD), 93

Message-oriented text-interchange system
 (MOTIS), 148

Message-transfer agents (MTAs), 148

Message-transfer system (MTS), 148

Messaging
See also Message-handling system;
 Simple mail transfer protocol
 electronic mail (E-mail), 106, 147-48

Metropolitan area networks (MANs), 467,
 473-500

- asynchronous transfer mode (ATM), 467, 494-97
 - distributed queue dual bus (DQDB), 468, 477-82
 - European Telecommunications Standards Institute (ETSI), 486-87
 - fiber distributed data interface (FDDI), 468, 474-77
 - frame-relay technology, 488-93
 - switched multimegabit data service (SMDS), 482-86
 - synchronous optical network (SONET), 482, 497-500
 - MHS. *See* Message-handling system
 - MilNET, 116
 - MIME (multipurpose Internet mail extensions), 169-71
 - Mockapetris, Paul, 116, 117
 - Modules, ASN.1, 72-73
 - Mogul, J. C., 389
 - Moss, M., 434
 - Multiaccess channel standards, 468-69, 471-72
 - Multicasting, 133
 - Multiple protocol architectures
 - application gateways, 512-15
 - dual stack approach, 510-12
 - encapsulation, 519-20
 - hybrid stacks, 518
 - multiple stack approach, 512
 - transport service bridge, 515-18
 - Multiplexing, 61, 291, 304-5, 489
- N-**
- Names
 - application entity titles, 85-86
 - criteria for, 82
 - domain, 116-18, 563
 - hierarchy, 83-84
 - importance of, 82
 - in message-handling system, 155-58
 - OSI, 84-85, 200
 - OSI Directory / X.500, 126-27
 - registration authorities, 88-96, 563-64
 - system titles, 87
 - TCP/IP, 88, 200
 - Name servers, 116, 118-19
 - National Academy of Sciences, 310
 - National Institute of Standards and Technology (NIST), 20, 94
 - National Science Foundation network (NSFnet), 423
 - Negotiated release functional unit, 275-76
 - Neighbor greeting/initialization, 434
 - Network-control protocols (NCPs), 469-70
 - Networked information retrieval, 141-42
 - Network entity titles (NETs), 85
 - Network file system (NFS), 76, 107, 108, 363
 - Network Information Center (NIC), 96, 115-16, 140
 - Network layer, 42, 361-411
 - addresses, 398-410
 - comparison of internetworking protocols, 380, 383-96
 - connectionless network service, 379-83
 - connection-oriented network service, 372-79
 - connections versus connectionless, 369-72
 - hop-by-hop harmonization, 365-66
 - host-centric view, 364, 366-67
 - internal organization of, 362-72
 - internetworking protocol approach, 366-69
 - LANs versus wide area networks, 363-64
 - network-centric view, 362
 - protocol identification, 394-96
 - selecting services, 361-62
 - X.25 packet level protocol, 374-79
 - Network-layer reachability information (NLRI), 457-58
 - Network management, 107-8
 - common management information protocol, 178, 189-211
 - dual-stack approach, 206-7
 - future of, 208-11
 - importance of, 177
 - mix-and-match protocols, 205-6
 - simple network-management protocol, 177-89, 205-11
 - Network-management station (NMS), 179, 180, 208
 - Network service access point (NSAP), 85
 - addressing, 408-16
 - ANSI standard, 407-9
 - IS-IS routing protocol and, 434-35
 - selector, 434

- Network Solutions, Inc., 96
Next hop, 417
North American Directory Association (NADA), 19
Notations, 47
Novell Netware, 507
- O-**
- Object classes, 128, 191-92
Object identifiers (OIDs), 70
 application entity titles and, 86
 tree, 183-84
 what are, 96-97, 191-92
 Office document architecture interchange (ODA/ODIF), 107
Onions, Jeremy, 509
Open Book, The (Rose), xix, 510, 512
Open shortest path first protocol (OSPF), 444-46
Open systems interconnection (OSI)
 addresses, 88
 application entity titles, 85-86, 102, 103-5
 application service elements, 11
 common management information protocol, 178, 189-211
 connections and connectionless models of communication, 51-54
 control messages, 393
 datagram service in, 379, 381
 differences between Internet standards and, 26-29
 distributed application services, 106-9
 entities, 46-47
 future of, 505-22
 history of, xv, 8-9, 10
 impact of, on TCP/IP, xiv
 integration with TCP/IP, 510-20, 522
 layers, 38, 40-44, 247-86, 289-359, 361-411
 message-handling system, 104, 106-7, 135-37, 148-63, 172-74
 naming architecture, 84-85, 200
 Network Management Forum, 19
 notations, 47
 problems with terminology used by, 45-46
 profiles, implementers' agreements, and conformance testing, 19-21
 protocols, 54-55, 393-94
 queue model, 50-51
 Reference Model, 35, 36-37
 registration authorities, 89-90
 relationship between service and protocol, 58-59
 routing, 416-23, 424-29, 431-44, 446-62
 services, 47-49
 sorting PCI from user data, 57-58
 sources of information on, 564-66
 standards, 13-21, 26-27
 strengths of, 507-10
 time-sequence diagrams, 59-60
Open Systems interconnection Directory / X.500, 115
 agent interaction, 132-34
 architecture, 123-24
 Directory Information Base (DIB), 124-31
 Directory Information Tree (DIT), 124
 entries and attributes, 125-26
 message-handling system and, 135-37, 161-62
 model, 129-30
 names, 126-28
 object classes, 128
 protocols, 134, 135
 role of, 128-29
 security, 135
 service, 130-32
 standards, 122-23
 in TCP/IP Internet, 137-39
Open systems networking
 defining, 4-5
 reasons for, 5-6
Operation class, 234
Operations interface, 234
Oran, Dave, 64
Originator/recipient name (O/R name), 155-56
OSI. See Open systems interconnection
- P-**
- P-ALTER-CONTEXT, 248, 258
PARADISE, 137-39
Parameter groups, 277
Parameter identifier, 277
Partridge, C., 178, 371
Pass-throughs, 248, 261
P-CONNECT, 219, 248, 251-54
Perlman, Radia, 415, 425, 431, 443, 446
Permanence, naming schemes and, 82

- Physical layer, 43
 - See also* Data-link layer
 - convergence procedures (PLCPs), 482
- Ping(), 209
- Piscitello, David, 383, 434
- Plattner, B., 161
- Point-to-point connection standards, 468, 469-70
- Polling, 180-81
- Port numbers, 301
- Ports, 130-32
 - chained service, 132
- Postel, Jon, 7, 34, 383
- P-P-ABORT, 248
- P-RELEASE, 219, 248, 254
- Presentation-context set definition, 247-48
- Presentation layer
 - connection establishment, 219, 248, 251-54
 - context set negotiation, 254, 257
 - data transformation to and from transfer syntax, 258-59
 - information transfer and dialogue control, 259-61
 - negotiation and renegotiation of transfer syntax, 257-58
 - presentation-context set definition, 247-48
 - primitives and parameters, 249-50, 255-56
 - release and abort services, 219, 248, 254
 - role of, 42-43, 247
 - services, 248-61
- Private management domain (PRMD), 93, 155
- Profiles, OSI, 19
- Protocol-control information (PCI), 55
- Protocol data units (PDUs), 55
- Protocols, 54-55
 - See also under type of*
 - association-control service element, 215-22
 - combinations (OSI), 393-94
 - combinations (TCP/IP), 394
 - common management information, 178, 189-211
 - identification, 394-96
 - OSI Directory / X.500, 132, 135
 - relationship between service and, 58-59
 - remote operations service element, 236-38
 - session layer, 276-81
- P-U-ABORT, 219, 248, 254
- Pucci, M. F., 233
- Push, 292
- Q-
- Queue model, 50-51
- QUIPU, 139
- R-
- RARE (RÇseaux AssociÇs pour la Recherche EuropÇene), 23, 24, 117
- Reassembly, 60
- Recombining, 61
- Redirection, 427-28
- Reference model, 35, 36-37
 - connections and connectionless models of communication, 51-54
- References, frozen, 320, 324
- Reference timer, 353-54
- Registration authorities
 - GOSIP, 94-95
 - Internet, 95-96
 - procedures, 89-90
 - role of, 88-89
 - U.K., 94
 - U.S., 90-94
- Rekhter, Y., 463
- Relative distinguished name (RDN), 126-27, 200
- Release services
 - negotiated release functional unit in session layer, 275-76
 - presentation layer and, 219, 248, 254
- Reliable transfer facilities in message- handling system, 162
- Reliable transfer service element (RTSE)
 - association establishment, 225-27
 - retry, 230
 - role of, 213, 223-25
 - RT-CLOSE, 224, 230-32
 - RT-OPEN, 224, 225, 226
 - RT-TRANSFER, 224, 227-30
 - turn/token management, 230
- Remote database access, 108-9, 244
- Remote operations
 - CMIP and, 199-202
 - reliable transfer facilities in message- handling system and, 162
- Remote operations error (ROER), 238
- Remote operations invoke (ROIV), 237-38
- Remote operations reject (RORJ), 238
- Remote operations result (RORS), 238
- Remote operations service element (ROSE), 232-48

- ASN.1 macros and, 238-41
 - linked, 234, 240-41
 - relationship to other services, 236
 - role of, 214, 232-33
 - services and protocol, 236-38
 - synchronous and asynchronous operations, 234-35
 - Report configuration function, 425
 - Request for comments (RFCs), 24-25
 - message-handling system and, 163
 - simple mail transfer protocol and, 164-65, 169-74
 - TCP/IP architecture and terminology, 62
 - Resolvers/clients, 118, 119-21
 - Resource records, 119, 120
 - Resynchronization, OSI transport protocol and, 304
 - Resynchronize functional unit, 272-73
 - Retransmission timer, 331-32, 343-47
 - Reverse lookups, 121
 - Richter, I., 431
 - RIPE (Région IP Européenne), 23, 117, 563-64
 - Robbins, C., 283
 - RO-ERROR, 237, 238
 - RO-INVOKE, 236-37
 - RO-REJECT, 237
 - RO-RESULT, 237
 - Rose, Marshall T., xix, 75, 180, 184, 186, 219, 280, 507, 510, 513
 - ROSE. See Remote operations service element
 - Rosen, E., 431
 - Rosenberg, J., 434
 - Route PDU function, 386
 - Routing
 - algorithm, 417
 - definition of, 413-14
 - distance-vector, 431, 432
 - domain confederations (RDCs), 454-55
 - domain identifier (RDI), 448
 - domains, 421
 - end systems (ESs), 417, 418-19, 420-21
 - forwarding information base, 417-18
 - functional tiers of, 418-19
 - hop-by-hop, 414-15, 465
 - information base, 417
 - information protocol (RIP), 424, 444
 - interdomain intermediate system, 418-19, 421-23
 - interdomain (OSI), 446-62
 - interdomain (TCP/IP), 462-63
 - intermediate systems (ISs), 417, 418-19, 420-21
 - intradomain intermediate system, 418-19, 421
 - intradomain (OSI), 431-44
 - intradomain (TCP/IP), 444-46
 - metrics, 417, 441-42
 - OSI, 416-23
 - principles, 415-16
 - protocols, 417, 424-65
 - reachability and discovery in OSI-ES-IS protocol, 424-29
 - reachability and discovery in TCP/IP-ARP protocol, 429-30
 - source, 414-15, 464, 465
 - TCP/IP, 423
 - RT-ABORT, 231
 - RT-CLOSE, 224, 230-32
 - RT-OPEN, 224, 225, 226
 - RTSE. See Reliable transfer service element
 - RT-TRANSFER, 224, 227-30, 266
- S-
- Sandberg, R., 76, 103, 233, 363, 370
 - Scale, naming schemes and, 82
 - Schoch, John, 81
 - Scope, naming schemes and, 82
 - Scoping, 201, 202
 - Security
 - OSI Directory/X.500 and, 135
 - simple mail transfer protocol and, 171-72
 - simple network-management protocol and, 188-89
 - Segmentation, 60, 291
 - function, 386-87
 - Separation, 61
 - Sequence control, 291
 - Servers/name servers, 118-19
 - Service(s)
 - access points (SAPs), 49, 84-85
 - association-control service element, 213, 214-23
 - confirmed, 51
 - core capabilities, 213-14
 - data, 49
 - data units, 49

- description of OSI, 47-49
 - primitives, 50-51
 - provider, 49
 - queue model, 50-51
 - relationship between protocol and, 58-59
 - reliable transfer service element, 213, 223-32
 - remote operations service element, 214, 232-44
 - unconfirmed, 51
 - user, 48
- Session layer
- abort services, 276
 - activity-management functional units, 266-70
 - exceptions functional unit, 277-75
 - full-duplex, half-duplex, expedited, and capability functional units, 264, 266
 - kernel functional units, 262-64
 - major and minor synchronization functional units, 270-71
 - negotiated release functional unit, 275-76
 - protocol, 276-81
 - resynchronize functional unit, 272-73
 - role of, 42, 261-62
 - services, 262-76
 - symmetric synchronization, 271-72
- Ships in the night (SIN), 511
- Shortest-path-first (SPF) algorithm, 431, 434
- Simple Book, The (Rose), 180
- Simple mail transfer protocol (SMTP), 108
- commands and replies, 166-71
 - description of, 164-71
 - distribution lists, 169
 - field names/bodies, 165-66
 - hosts, 164
 - interworking between message-handling system and, 172-74
 - mail addresses/mailbox, 169
 - mail header, 165
 - MIME (multipurpose Internet mail extensions), 169-71
 - security and, 171-72
- Simple management protocol (SMP), 207
- Simple network-management protocol (SNMP), 108-9
- ASN.1 and, 76-77
 - description of, 177-89, 205-11
 - how to manage in, 185-88
 - Management Information Base, 179-80, 181-82
 - over Foo, 206
 - parties, 189
 - protocol stack and, 188
 - security and, 188-89
 - structure of management information, 183-85
 - version 2, 207-8
 - what is managed by, 179-81
- Sliding window mechanism, 328
- SMTP. See Simple mail transfer protocol
- SNMP. See Simple network-management protocol
- Socket interface for OSI transport service, 293-94, 296-97
- SONET. See Synchronous optical network
- Source routing, 414-15, 464, 465
- Specific application service elements (SASE), 244
- Splitting, 61
- SRI International, 96
- Standards
- differences between TCP/IP and OSI, 26-29
 - OSI, 13-21
 - TCP/IP, 21-26
- Standards Promotion and Applications Group (SPAG), 21
- State machine, 55
- Steedman, D., 75, 79
- Streams. See Connections
- Subnetwork access protocol (SNACp), 472, 365
- Subnetwork-dependent convergence function (SND CF), 368
- Subnetwork-dependent convergence protocol (SND CP), 366
- Subnetwork-independent convergence protocol (SNICP), 367
- Subnetwork point of attachment (SNPA), 421
- Subsystems, 46
- Sunshine, C. A., 383
- Switched multimegabit data service (SMDS), 482-86
- Symmetric synchronization, 271-72
- Synchronization
- communication, 297-98
 - major and minor synchronization functional units, 270-71
 - parameter, 201

- resynchronize functional unit, 272-79
- ROSE and synchronous and asynchronous operations, 234-35
- session, 260
- symmetric, 271-72
- Synchronize stream (SYN), 320-24
- Synchronous optical network (SONET), 482, 497-500
- Synchronous transfer mode (STM), 494-95
- System identifier, 434
- Systems-management functional areas (SMFAs), 190
- Systems-management functions (SMFs), 190, 202-4
- Systems management overview, 190
- System titles, 87

-T-

- Tags, ASN.1, 70-72
- Tajibnopis, W., 434
- Tanenbaum, Andrew S., 3, 468
- TCP/IP. See Transmission-control protocol/Internet protocol
- Telecommunications-computer technology relationships, 3-4
- Telephone directories, 112-13
- TELNET, 138
- Thinking Machines Corp., 143
- Three-way handshake, 315-17, 322
- Timers, 342-43
 - backing off for subsequent retransmissions, 349-51
 - connection-establishment, 348
 - data retransmission, 348-49
 - give-up, 351
 - inactivity, 352
 - reference, 353-54
 - retransmission, 331-32, 343-47
 - window, 352-53
- Time-sequence diagrams, 59-60
- TLV encoding, 73
- Tokens, 262, 264, 266, 475
- Traceroute(), 209, 522
- Transfer syntax, 67-68, 73-75, 247, 257-59
- Transmission-control protocol/Internet protocol (TCP/IP), 290
 - See also Internet addresses, 88
 - applicability statements, 25
 - application entity titles, 102-3, 105
 - applications, 11
 - architecture, 33-34, 35
 - comparing TP4 to, 310-11
 - connection-oriented transport service, 291-92
 - connection release/refusal, 356-57
 - connections, 320-24
 - control messages, 393
 - datagram service in, 381-83
 - data transfer, 334-37
 - differences between OSI standards and, 26-29
 - domain name system, 115-21, 145
 - drafts, 24-25
 - future of, 505-22
 - history of, xv-xvi, 6-8
 - impact of, on OSI, xiii-xiv
 - integration with OSI, 510-20, 522
 - layers, 38-39, 43, 44-45, 361-411
 - naming, 88, 200
 - Network Information Center, 96, 115-16, 140, 563
 - OSI Directory/X.500 in Internet, 137-39
 - primitives, 294, 295
 - protocol combinations, 394
 - routing, 423, 429-30, 444-46, 462-63
 - simple mail transfer protocol, 108, 164-75
 - simple network-management protocol, 177-89, 205-11
 - sources of information on, 560-64
 - standards, 21-26
 - timers, 342-54
 - urgent data, 292, 341-42
 - use of the term, 6n.3
 - window considerations, 337-40
 - X.25 and, 379
- Transport layer
 - addressing, 300-301
 - connection-oriented transport service (OSI), 290-91
 - connection-oriented transport service (TCP), 291-92
 - connection release/refusal (OSI), 354-56
 - connection release/refusal (TCP), 356-57
 - connections (OSI), 311-19

- connections (TCP), 320-24
 - datagrams, 358-59
 - data transfer (OSI) 325-28
 - data transfer (TCP), 334-37
 - expedited data, 291, 340-41
 - frozen references, 320, 324
 - primitives (TCP), 294, 295
 - primitives and parameters (OSI), 291, 292
 - role of, 42, 289-90
 - socket interface for OSI service, 293-94, 296-97
 - three-way handshake, 315-17, 322
 - timers, 342-54
 - UNIX system calls, 294, 295, 317-19
 - urgent data, 292, 341-42
 - window considerations, 337-40
 - X/OPEN transport interface, 297-99
 - Transport layer protocol (OSI), classes of, 301
 - choosing, 307-9
 - Class 0: the simple class, 302-3
 - Class 1: basic error recovery, 303
 - Class 2: multiplexing, 304-5
 - Class 3: error recovery and multiplexing, 305
 - Class 4: error detection and recovery, 305-7
 - comparing class 4 to TCP, 310-11
 - connection release/refusal, 354-56
 - data transfer in, 325-28
 - reliability and class 4, 328-34
 - timers, 342-54
 - window considerations and class 4, 337-40
 - Transport protocol (TP) classes, 311, 315
 - Transport service access point (TSAP), 49
 - identifiers, 300-301, 312
 - Transport service bridge, 515-18
 - Transport service data units (TSDUs), 49
 - Trap-directed polling, 180-81, 187-88, 204
 - Trap message, 180-81
 - Traps, 179
 - Trewitt, G., 178
 - Tsuchiya, Paul, 432, 446, 463
- U-
- Unblocking, 61
 - Unisys, 433
 - United Kingdom registration authority (UKRA), 94
 - United States
 - Defense Communications Agency, 310
 - General Services Administration, 94
 - registration authority, 90-94
 - University of California (Berkeley), 116
 - University of London Computer Centre, 137
 - UNIX, 116, 209, 294, 295, 317-19
 - Urgent data, 292, 341-42
 - User agent (UA), 148
 - User data, 55
 - User datagram protocol (UDP), 209, 290, 358-59
 - User element, 104
 - User-friendliness, naming schemes and, 82
 - User-session-requirements, 260, 263-64
- V-
- Veenstra, Jack, 91
- W-
- Walker, B., 233
 - Watson, R., 306
 - WHOIS, 108, 140
 - Wide Area Information Service (WAIS), 108, 142-43
 - Window considerations, 337-40
 - Window timer, 352-53
 - Working documents, 17
 - Working item, 17
 - WorldWideWeb, 108, 143-44
- X-
- Xerox, 306
 - network systems (XNS), 363
 - X.25 packet level protocol
 - interfaces, 374-76
 - TCP/IP use of, 378-79
 - used to provide a subnetwork service in OSI, 376-78
 - X.410 (1984) mode, 222-23
 - X.500. See OSI Directory/X.500
 - X/OPEN transport interface, 297-99
 - X Window System, 108
- Z-
- Zones, 118, 119